THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 10th August 1938, published under Article 141 of the Articles of Association.

Liabilities		Assets	
	Rs.		Rs.
To Capital Receipts ..	20,00,000	By Cash in hand and at Bankers ..	25,48,884
„ Reserve Fund ..	25,75,000	„ Loans and Cash Credit Accounts	1,79,75,674
„ Public and other Deposits	2,54,08,864	„ Bills discounted ..	4,58,402
„ Sundries ..	1,93,594	„ Investments ..	83,49,866
		„ Balance at Agencies ..	..
		„ Dead Stock ..	7,73,830
		„ Sundries ..	70,802
Total	3,01,77,458	Total	3,01,77,458

(Annas and pies omitted.)

BANGALORE,
Dated 16th August 1938.

F. L. PERADON,
Manager.

The Mysore Government Promissory Notes Nos. 010711, 010712 and 010931 for Rs. 12-8-0 each, 4 bonds Nos. 010713 to 010715 and 010932 for Rs. 25 each, Nos. 010716, 010717 and 010933 for Rs. 50 each, 8 bonds Nos. 010718 to 010724 and 010934 for Rs. 100 each, No. 010725 for Rs. 500 and Nos. 010726 and 010727 for Rs. 1,000 each of the 6½ per cent loan of 1940 and No. 001027 for Rs. 500, No. 001028 for Rs. 1,000 and No. B. 00001 for Rs. 25 of the 6½ per cent loan of 1941-51, originally standing in the name of H. Madhava Rao, by whom it was never endorsed to any person, having been lost, notice is hereby given that payment of the notes and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore and that application is about to be made for the issue of duplicate in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the abovementioned securities.

Dated 3rd August 1938.

H. MADHAVA RAO,
son of Late H. Balakrishna Rao, Honnali.

THE BANGALORE WOOLLEN, COTTON AND SILK MILLS CO., LTD.

NOTICE TO SHAREHOLDERS.

Dated 13th August 1938.

Notice is hereby given that a Dividend at the rate of 8 per cent per annum, free of tax, has been declared on Ordinary Shares for the half-year ending 30th June 1938, and is now payable at the Registered Office of the Company, Agraram Road, Bangalore City.

BINNY & CO. (MADRAS), LTD.,
Agents, Secretaries and Treasurers.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 3258-72, dated 8th August 1938.

To

The Firms dealing in Machinery.

Enquiry No. 2955.

PORTABLE FORGE AND DRILLING MACHINE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Portable Forge and Drilling Machine required for the Irwin Canal Construction Division " with the above enquiry number.

This enquiry will be closed on the 29th August 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Portable Forge, circular pattern, with torpedo bottom blast fan. (The weight and manufacturer's name should be specified)	One	Mandya.	
2	Radial Drilling Machine for hand and belt power capable of drilling holes up to ¾" in M. S. Plates complete with drill bits, table, vice, spanners, etc.	One		

N.B.—Illustrated literature of the machinery offered should accompany your quotation.

No. S. P. C. 3341-52, dated 9th August 1938.

To

The Firms dealing in Galvanised Float Arm.

Enquiry No. 2960.

12" GALVANISED FLOAT ARM REQUIRED FOR DAVANGERE WATER WORKS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the ma described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subje following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the s time or according to specifications will entail cancellations of the order and purchases being m your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of th as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve t to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for 12" Galvanised Float Arm req Davangere Water Works" with the above enquiry number.

This enquiry will be closed on the 29th August 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of deli
1	12" Galvanised float arms required for settling tanks, conforming to the following specification:— Each float arm must consist of one floating outlet arm suitable for top water level up to a maximum height of 10 ft. provided with C. I. swivel bend mounted on C. I. base plate fitted with gun metal bearings, rings and bronze trunnion screw. The arm and the cylindrical floats should be of mild steel and extra heavily galvanised. Necessary straps, bolts, etc., should be supplied.	Two	Harihar.	

N.B.—Sluice valve wrought iron extension hand wheel, etc., are not required.

No. S. P. C. 3413-45, *dated* 10*th August* 1938.

To

The Firms dealing in Pumping Sets.

Enquiry No. 2963.

DIRECT COUPLED PUMP SET TO THE LAL-BAGH UNFILTERED WATER SUPPLY.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Bangalore, and the earliest time of delivery for one Direct Coupled Electric Pumping Set with accessories as described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Direct Coupled Pump Set to the Lal-Bagh for pumping unfiltered water" with the above enquiry Number.

This enquiry will be closed on the 1st September 1938.

Specification for the Pumping Set.

PUMP.

1. *Capacity*—12,000 gallons per hour against a total head of 100 feet from all causes.
2. *Quality of water.*—Unfiltered water from a tank.
3. *Type of pump.*—(*a*) The pump casing should be split horizontally along the shaft, to facilitate taking out the casing for purposes of inspection of the interior parts.
   (*b*) The bearings should be of ball or roller bearing type with grease lubrication arrangement.
   (*c*) The gland should be provided with water cooling arrangement.
   (*d*) The temperature of water to be pumped is that of Bangalore varying from the coldest in December to hottest in May.

MOTOR.

1. Should be of the totally enclosed drip proof type.
2. Power avaialable is—Alternating current, 3 phase, and 220 volts.
3. The motor should be equipped with a starter of the auto-transformer type with no voltage and overload relay arrangements.
4. The motor should be designed to work in Bangalore at an altitude of about 3,500 feet, the atmospheric compensator varying from 10°F to 100°F. The motor should not get heated beyond 40°C with a continuous working for 15 hours per day.
5. A voltmeter and an ammeter should also be provided with the motor. An iron clad triple pole switch of 60 amp. capacity should also be included in the quotation.

The motor and the pump should be supplied fitted on a common cast iron bed-plate complete with necessary foundation bolt, set pins, etc. Flexible coupling should be supplied for the direct drive with rubber shrouded driving pins. Further one dozen spare rubber shrouds and coupling bolts should also be supplied.

The pump should have the following accessories :—

(1) One foot valve and strainer to suit the size of suction pipe.
(2) One pressure-gauge of 6" dial reading the pressure in feet head of water from 0 to 200 feet.
(3) One vacuum gauge of 6" dial reading from 0 to 30 feet head of water.
(4) One reflux valve to suit the delivery pipe with flap door type to be fixed horizontally complete with bye-pass arrangement. Priming tundish and air cocks should also be supplied.
(5) The delivery valve should be free way opening type preferably of Pects Patent type to suit the delivery pipe size.
(6) Flanges for suction and delivery sides should be included.

No. S. P. C. 3489-520, *dated* 10*th August* 1938.

To

The Firms dealing in Locks.

Enquiry No. 2966.

LOCKS REQUIRED FOR THE GOVERNMENT DEPARTMENTS DURING 1938-39.

GENTLEMEN,

Sealed tenders superscribed "Quotation for Locks" will be received by the undersigned upto 29th

August 1938 in accordance with the conditions of contract specified below for the supply of locks in noted below required for use in Mysore Government Departments :—

Item No.	*Description of article.*
1.	Superior quality G.I. Pad Locks (rust proof) $\frac{1}{8}$" thick plates, 4 levers with one upper brass p covering the levers and non-interchangeable duplicate steel keys on rings in the foll sizes :—

Rate per lock.

1"
1½"
2"
2½"
3"

2. Brass locks, steel shackled, 4 levers with one upper brass plate covering the levers, sw key holes socketed and gauged, fitted with non-interchangeable duplicate steel keys o in the following sizes :—

Rate per set.

1"
1½"
2"
2½"
3"

3. Master Key sets of locks with duplicate non-interchangeable keys to each lock and two keys to pass all locks.

Rate per set.

Set of 1 to 12 locks
" 1 to 50 "
" 1 to 100 "
" 1 to 200 "

N.B.—The levers should have a clean fit, as when one lever is operated, the remaining lever not slack too much. Too much clearance should not be left for the bolt stump across the levers. The clearance should be just a little larger than the bolt stu

(1) The rates quoted should hold good for a period of one year.
(2) The Stores Purchase Committee do not bind themselves to purchase any or all the sizes specified above. The actual requirements of all the departments should be supplie
(3) The indents of Departmental Officers should be complied with within a week after their
(4) The prices to be quoted should be for free delivery on rails at the place of the firm.
(5) The locks should be supplied with non-interchangeable duplicate keys.
(6) The locks shoulud be guaranteed to be of sound construction and workmanship, and if a found to be defective or become unserviceable under normal use during the year, th have to be replaced by sound ones free of cost to us. In the case of the locks required Mysore Railways, the top plate should be sent loose without being rivetted. Furth locks are required to be engraved with the words "Mys. Rys." and also the serial n which will be furnished by the Chief Store Keeper, along with his indent.
(7) Two sample locks of 2" (One G.I. and one brass) to show quality (with loose top plates) be forwarded along with the tenders.
(8) Should your tender be accepted, you will be required to execute an agreement and de sum of Rs. 50 as security for due fulfilment of the contract.

No. S. P. C. 3687-96, dated 15th August 1938.

To

The Firms dealing in Coal.

Enquiry No. 2969.

SUPPLY OF COAL REQUIRED FOR THE GOVERNMENT PORCELAIN FACTORY.

GENTLEMEN,

I write to request you to quote your best price for the following material required for the Gover Porcelain Factory.

150—300 tons of best Deshargarh coal containing not more than 2 per cent dust.

This tender will be subject to the following conditions:—

(1) The quantity to be indented for will vary from 150 to 300 tons. The contract should be d to be limited to the actual quantity indented for.
(2) The quantity to be supplied at a time will be 10 to 20 tons.
(3) All indents should be complied with within a week from the date of receipt of the inden

(4) Samples of the material offered and analysis certificate should accompany the quotation. The material to be supplied should conform to the following analysis.—

(*a*) Fixed Carbon	53.21 per cent.
(*b*) Volatiles	35.16 "
(*c*) Ash	9.89 "
(*d*) Moisture	1.74 "
Calories	7281.76
B. T. U.	13107.16

(5) The price to be quoted should hold good for one year from the date of the order. No enhancement in price will be allowed for whatsoever reasons during the period of contract.

(6) The price to be quoted should be for delivery at the Government Porcelain Factory, Bangalore.

(7) The material should be weighed and delivered at the premises of the Government Porcelain Factory. Weighment should be done by the Contractors. Payment will be for the actual weight delivered at the factory.

(8) Any supplies which fail to conform to the specifications or conditions stipulated above will be subject to rejection at the supplier's risk and cost and he will be required to replace the same by correct materials without extra cost.

(9) In the event of failure to supply the material in time or in accordance with the specifications, the Stores Purchase Committee reserve the right to cancel the order and arrange for the purchase of the material from other sources, debiting the extra cost to the Contractor. In such an event the security deposit referred to in the following clause will be forfeited to Government and a peanlty of 3 per cent of the value will be levied from the Contractor as and by way of liquidated damages.

(10) The successful tenderer will be required to enter into an agreement with the Manager, Government Porcelain Factory, binding himself to execute the contract in accordance with the foregoing conditions and also deposit with him 5 per cent of the value of the contract as security for the proper performance of the contract.

This enquiry will close on the 30th August 1938.

No. S. P. C. 3836-50, *dated* 16*th August* 1938.

To

The Firms dealing in Generator Sets.

Enquiry No. 2970.

PETROL ENGINE DRIVEN D. C. GENERATOR SET FOR USE AT KARAPUR.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Mysore, and the earliest time of delivery for the materials described in the undermentioned schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Petrol Engine driven D.C. Generator set" with the above enquiry Number.

This enquiry will be closed on the 27th August 1938.

SCHEDULE.

Item No.	Description of material offered	Quantity	F. O. R.
1	10—K.W., 110-volts, petrol engine driven D.C. Generator Set complete with shunt-field regulator. *Note.*—The Generator is to be mounted on a substantial common bed-plate and direct-coupled to the engine by a pin-type flexible coupling, and the tendering firm shall supply the necessary foundation bolts and other accessories for installation of the engine generator set on a plinth.	One.	Mysore.
2	Switchboard Penal for the control of the above Generator set with the following equipments, *viz.*— 1—6" dial moving iron ammeter. 1—6" dial moving iron volt meter. 1—Double-pole Single-throw, quick break main knife switch. 2—Single-pole self-aligning pressure contact fuses. 1—Volt-meter Switch and fuse. Mounting for shunt-field regulator. Complete with necessary connections, terminals, etc.	One.	

Item No.	Description of material offered	Quantity	F. O. R.
	Alternatively.		Mysore.
3	Petrol-engine driven D.C. Generator Set, 16-K.W., 110-volts, complete with shunt-field regulator, etc.	One.	
4	Switchboard Panel for the control of the above 16-K.W. Generator Set equipped with instruments, etc., noted under item 2 above	One.	

N.B.—Preference will be given for offers for immediate delivery from stocks in India.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 2978, *dated 4th August* 1938.

NOTICE.

One Remington Typewriter, No. 12 Model, Foolscap size, will be sold by public auction on Monda the 22nd August 1938 at 3 P.M., in the office of the Stores Purchase Committee, Old Public Office Bangalore.

The typewriter will be knocked down to the highest bidder and the purchaser should pay the sa amount immediately, before the machine is removed.

If the purchaser fails to pay the amount, the machine will be resold and the loss, if any, debited the defaulting purchaser.

No. S. P. C. 3293-4, *dated 8th August* 1938.

NOTICE.

Enquiry No. 2948.

SUPPLY OF LUBRICATING OILS.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supp Lubricating Oils, etc., required for the Mysore Government Departments (except the Mysore Railway), during the year 1938-39 up to 5 P.M. on 26th August 1938.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obta requisite tender forms on which tenders should be submitted. Applications should be accompa a cash remittance of Rs. 3 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the for sent by V. P. P.

No. S. P. C. 3790, *dated 13th August* 1938.

NOTICE.

Enquiry No. 2956.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply and other leather articles required for the Mysore Government Departments during the year 19 to 5 P.M., on 10th September 1938.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, t requisite tender forms on which tenders should be submitted. Applications should be accom a cash remittance of rupees three which is the price fixed for a set of forms and which is not ref

Cheques and postage stamps will not be accepted towards the cost of forms nor will the sent by V. P. P.

No. S. P. C. 3804, *dated 13th August* 1938.

NOTICE.

Enquiry No. 2957.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply Drill, serges, flannels, etc., required for the Mysore Government Departments during the ye up to 5 P.M. on 10th September 1938.